

MUSIKAL AUDIO
SEMESTA
GROUP

SOUND PERFECTION LAB

PRODUCT CATALOG 2025

WWW.SOUNDPERFECTIONLAB.COM



ACAPELLA 6.2



SPECIFICATION

ANTI JITTER ALUMINUM CAST BASKET.

DPC PAPER MATERIAL.

SILK DOME TWEETER.

HIGH TEMPERATURE RESISTANT VOICE COIL.

HEAT DISPERSION CONTROL TECHNOLOGY.

TWEETER

RMS 30W 800-25Khz 88DB 4 OHM

MIDBASS

RMS 60W 48-3.5Khz 90DB 4 OHM

"THE NEW BORN LEGENDARY
SPEAKERS."





CONCENTRIC SYSTEM



MFR35

MULTIPURPOSE 3,5" DRIVERS

SPECIFICATION

ALUMINUM CAST BODY.

FIBER GLASS MATERIAL.

SOFT DOME TWEETER.

2 SEPARATED INPUT TERMINAL.

HEAT DISPERSION CONTROL TECHNOLOGY.


MIDRANGE

RMS 40W	130Hz-3200Hz	88DB	4 OHM
---------	--------------	------	-------


TWEETER

RMS 40W	1000Hz-20Khz	88DB	4 OHM
---------	--------------	------	-------

 **THE AIDEN**
PLUG IN STREAMER



OTE




THE AIDEN

THE ULTIMATE DAC SYSTEM.

AVAILABLE IN
ESS SABRE PRO 9016K2M or AKM 4490 option.

DSD512 Native, PCM768KHz@32Bit decoding.
USB data input MQA full decoding and rendering.
High precision, low jitter clock oscillators.
ULD (Ultra Low Dispersion) voltage regulator.
Built in power supply balancer.
RCA / COAX / OPTICAL OUTPUT.
Remote on trigger.



CL2PRO

CLARITY SERIES 1,5"
CHAMBERED TWEETER



EXCEPTIONAL SOUND QUALITY.
FULL-RANGE LIKE TWEETER.

SPECIFICATION

STAINLESS STEEL BODY.

1,5 inch SILK DOME TWEETER.

RMS 60W

90DB SENSITIVITY

900Hz-20Khz

STAGING SCALER

4 POINT SYSTEM
ACOUSTICAL TREATMENT



ELIMINATE SOUND
DISTORTION AND ENHANCE
STAGE PRECISION.

MUSIKAL AUDIO
SEMESTA
GROUP

WWW.SOUNDPERFECTIONLAB.COM

Contact

+62 817-150-698

RUKO BOLSENA BLOK A/1,
GADING SERPONG, TANGERANG,
INDONESIA
15810

WWW.SOUNDPERFECTIONLAB.COM

